



# 富山 HIKARI®

新一代智能缝纫机  
NEW GENERATION OF INTELLIGENT SEWING MACHINE

上海富山精密机械科技有限公司  
HIKARI(SHANGHAI)PRECISE MACHINERY SCIENCE & TECHNOLOGY CO.,LTD.

上海市金山区朱泾工业区中达路800号  
NO.800.ZHONGDA ROAD, JINSHAN ZONE,  
SHANGHAI, CHINA

电话/Tel:021-67311111  
传真/Fax:021-67311311  
邮箱/E-mail:hikari@chinahikari.com

版本/EDITION 2023年09月版



EU ATTESTATION  
欧盟认证



QUANTITY ATTESTATION  
ISO9001质量体系认证



SHANGHAI FAMOUS MARK  
上海市著名商标

数字驱动 线迹自美观  
DIGITAL DRIVE BEAUTIFUL STITCHES



富山  
HIKARI®

## 企业简介

富山，专注于新一代智能缝纫机的研创，高度重视创造性研发，追求国际一流的品质，至少有两个品类被业界广为模仿。

富山以诚信为宗旨，始终真正关切用户、合作伙伴的价值回报，全球前十大制衣集团 60% 以上已选择使用富山，越来越多的大客户选用富山！

## COMPANY INTRODUCTION

Hikari, focusing on the research and creation of a new generation of intelligent sewing machines, lays great stress on creative research and development, chasing the international first-class quality, there are two categories are widely imitated by the industry at least.

Hikari takes integrity as tenet, always really care about the value return of users and partners, more than 60% of the world's top ten clothing groups have chosen to use Hikari, more and more large customers choose Hikari!

# 富山

阿里巴巴犀牛智造  
主要设备合作品牌

**HIKARI**<sup>®</sup>

MAJOR MACHINERY CO-BRAND  
OF ALIBABA PROJECT  
"RHINO NEW INTELLIGENT MANUFACTURING"



# 富山与大咖

全球前十大制衣集团60%以上已使用富山

MORE THAN 60% OF TOP10 GLOBAL GARMENT GROUPS ARE NOW USING HIKARI MACHINES

越来越多的大工厂选用富山

MORE AND MORE LARGE FACTORIES ARE CHOOSING HIKARI



# 富山

## IoT技术

智慧工厂物联技术

HIKARI®

基于“IoT”技术构建的数据化工厂场景,此项技术实现了大数据的掌握。

为未来的数字工厂,实现物联网形态创造了信息化技术构架。

Data-enabled factory scenarios based on IoT technology architecture, This technology enables the mastery of big data.

Creating an IT architecture for future digital factory to realize IoT form.

# 郑重承诺

全球用户每买一台富山产品，我们就要保证其用好一台。

有任何问题服务解决！

服务解决不了的—**更换！**

更换解决不了的—**无条件退货！**

## We solemnly commit

We ensure that each HIKARI product is in good use.

If any problem occurs, we will solve it with our quality service.

If the problem remains, we will replace with new one.

If still fail to solve it, we will accept the return unconditionally.

01

LOCKSTITCH MACHINE SERIES

平缝机系列

01	H9V-I	New generation of intelligent lockstitch sewing machine	新一代智能平缝机
03	H9V-II	New generation of intelligent lockstitch sewing machine	新一代智能平缝机
05	H99V	New generation of intelligent edge-cutting lockstitch sewing	新一代智能带刀平缝机
07	H99S	Computerized edge-cutting direct drive lockstitch sewing machine	电脑直驱带刀平缝机
09	HT9210TC/HT9250TC	Computerized direct drive double needle (fix needle bar) machine	电脑直驱双针平缝机(单针杆)
11	HT9220TC/HT9260TC	Computerized direct drive double needle lockstitch machine (split needle bar)	电脑直驱双针平缝机(双针杆)
13	智能平缝机装置一览表		Intelligent lockstitch devices list

02

SUPER HIGH-SPEED OVERLOCK MACHINE SERIES

超高速包缝机系列

14	智能包缝机装置一览表		Intelligent overlock devices list
15	HX8V-I	New generation of intelligent overlock sewing machine	新一代智能包缝机
17	HX8V-II	New generation of intelligent overlock sewing machine	新一代智能包缝机
19	HXT8V	New generation of computerized direct drive top feed high speed overlock sewing machines	新一代智能直驱上下送布高速包缝机
21	HX6900TA	Computerized direct drive cylinder bed high speed overlock sewing machine	电脑直驱细嘴高速包缝机
23	HXT6900TA	computerized direct drive top feed cylinder bed high speed overlock sewing machine	电脑直驱上下送布细嘴包缝机

03

HIGH-SPEED INTERLOCK MACHINE SERIES

高速绷缝机系列

25	HW76V	New generation of intelligent interlock sewing machine	新一代智能绷缝机
27	HW762T	Computerized direct-drive automatic trimming flatbed interlock machine	电脑直驱自动剪线平台式绷缝机
29	HW762T (05/SP09)	Computerized direct-drive flatbed interlock machine (with computerized feeding device)	电脑直驱平台式绷缝机(带电脑送料装置)
31	HW78V	New generation of intelligent cylinder bed interlock sewing machine	新一代智能绷缝机
33	HW782T 35B×356LV1	Computerized direct-drive high speed cylinder bed interlock machine (left hand knife)	电脑直驱左切刀高速绷缝机
35	HW782TA 33A×356RV	Computerized direct-drive high speed cylinder bed interlock sewing machine	电脑直驱右切刀高速绷缝机
37	HW800C	Computerized auto thread trimming multi needles integrated machine	电脑自动剪线多针一体机

04

SPECIAL SEWING MACHINE SERIES

专用机系列

39	HK2900ASS	Computerized bar tacking machine (with clip device)	电脑直驱套结机(带电子夹线器)
41	ASK-A(HK-2903-A)	Auto button feeding attaching machine	自动输钮钉扣机
43	HK-430DS-01	Computerized direct drive electronic bar tacking machine (thin fabric vignette)	电脑直驱式电子套结机(薄料小花样)
45	HBH1790E	Computerized straight button holing machine	电脑平头锁眼机
47	HBH-9820	Eyelet button holing machine	圆头锁眼机
49	HW740TA	Feed off the arm machine	曲臂拼缝机
51	HMS 1010/1310/1510/2210/3020/6030	Electronic pattern sewing machine	电子花样机

05

AUTOMATION EQUIPMENT SERIES

自动化设备系列

53	HSAT-K1A	Intelligent automatic hemming machine	智能自动下摆机
55	HSAT-K2	Automatic opening and hem sewing station	自动开口下摆工作站
57	HSAT-K4A	Atuo pocket setter	自动贴袋机
59	HAT-K5A	Auto elastic joining machine(pattern machine type)	自动接橡筋机(花样机款)
61	HAT-K5C	Intelligent auto elastic joining machine (pattern machine type)	智能自动接橡筋机(花样机牌接款)
63	HAT-K5D	Intelligent auto elastic joining machine (bartack type)	智能自动接橡筋机(套结机款)
65	HSAT-K6	Automatic threading cuff / Trousers leg machines	自动上螺纹袖口/脚口机
67	HSAT-K7A	Auto adidas straps feeding machine	压条专用压滚条机
69	HSAT-K9D	Auto t-shirt neck / Waist joining machine	自动上圆领/裤腰机
71	HMS-5040A	Small template machine	小型模板机
73	HMS-13085A	High-speed oil-free pattern template	高速无油花样模板机
75	HMS-13095 RND-A	High speed oil-free pattern template sewing machine	高速无油花样模板机(360°旋转机头)
77	HI-250X95	New generation of intelligent sewing station	新一代智能缝纫工作站

了解更多富山未发售自动化产品, 请登陆富山官网: WWW.CHINAHIKARI.COM

# 数字驱动 线迹自美观

## DIGITAL DRIVE BEAUTIFUL STITCHES

### 痛点VS价值买点 Pain points VS Buy points

不断线。断线几率大幅度降低  
No thread breakage.Reduce the probability of thread breakage greatly.

厚薄面料变化基本不用调，且线迹美观  
Basically no adjustment required for the changes in thin and thick fabrics.

薄料缝制起皱大幅度改善  
Sewing thin fabric without puckering.

### 尚有价值魅力 More values

倒缝声音轻。电脑控制倒缝，工作中听不到吵杂的倒缝声音  
The sound of reverse stitching is light.With the computer controlling reverse stitching, no harsh reverse stitching sound will be heard.

针距准。数字化针距控制，0.1mm的调整精度满足高品质的需求  
Accurate stitch length.Digital control, 0.1mm adjustment accuracy to meet the requirement of high quality.

缝制模式多，可实现自由缝、定长缝、密针缝、多段缝、多段循环缝、花样缝  
Various sewing model.Normal stitching, fixed length stitching, condense stitching, multi-section stitching, multi-section circular stitching, pattern stitching.

①抬压脚数字驱动，提升高度可调、速度可调；②采用电脑控制压脚抬放，高度0-13mm可调；③保护面料，设定缓放压脚功能，可保护面料不受损

(1)Computerized presser foot lifter, lifting height and speed can be adjusted.(2)The computer controls foot lifter,and the height is adjustable from 0 to 13mm.(3)For exquisite fabric, release the presser foot slowly function. avoid fabrics damage.

可选配防鸟巢装置，去除鸟巢现象

Optional anti-bird nest device solves the bird nest problem.

可选配富山IOT功能，实现设备网络联接功能，助力企业打造数字化工厂

HIKARI IOT function is optional implement device net work connection function, Help customer build digital factories.



新一代智能平缝机  
NEW GENERATION OF INTELLIGENT  
LOCKSTITCH SEWING MACHINE

# H9V-I

Model	Automatic Oil Supply	Needle	Stitch Length	Stitch Width	Reverse Stitching	Auto Reverse	F	M	H	rpm	Dimensions
H9V-I-F-7C-5/AK	自动供油 Automatic Oil Supply	DBx1	0-5	0-13	◆	◆	◆			5000	665x260x570mm
H9V-I-7C-5/AK	自动供油 Automatic Oil Supply	DBx1	0-5	0-13	◆	◆		◆		5000	665x260x570mm
H9V-I-H-7C-5/AK	自动供油 Automatic Oil Supply	DPx5	0-7	0-13	◆	◆			◆	4500	665x260x570mm

# 数字驱动 线迹自美观

## DIGITAL DRIVE BEAUTIFUL STITCHES

### 痛点VS价值买点 Pain points VS Buy points

不断线。断线几率大幅度降低  
No thread breakage. Reduce the probability of thread breakage greatly.

厚薄面料变化基本不用调，且线迹美观  
Basically no adjustment required for the changes in thin and thick fabrics.

薄料缝制起皱大幅度改善  
Sewing thin fabric without puckering

310mm空前超大空间，暂无可比  
Large operation space with length of 310mm,which cannot be compared by others.

### 尚有价值魅力 More values

线头最短至3mm；电脑控制剪线，剪线声音轻柔  
Short thread tail, Double trimmer design,the thread tail can be controlled within 3mm precisely.With the computer controlling thread trimmer,sound is light.

密封油盘结构，有效防止面料油污染  
Sealed oil tank to effectively prevent oil stains.

倒缝声音轻。电脑控制倒缝，工作中听不到嘈杂的倒缝声音  
The sound of reverse stitching is light.With the computer controlling reverse stitching, no harsh reverse stitching sound will be heard.

针距准。数字化针距控制，0.1mm的调整精度满足高品质的需求  
Accurate stitch length.Digital control,0.1mm adjustment accuracy to meet the requirement of high quality.



缝制模式多，可实现自由缝、定长缝、密针缝、多段缝、多段循环缝、花样缝  
Various sewing model. normal stitching, fixed length stitching, condense stitching,multi-section stitching,multi-section circular stitching,pattern stitching.

①抬压脚数字驱动，提升高度可调、速度可调；②采用电脑控制压脚抬放，高度0-13mm可调；③精致面料，设定缓放压脚功能，可保护面料不受损

(1)Computerized presser foot lifter, lifting height and speed can be adjusted.(2)The computer controls presser foot lifter,and the height is adjustable from 0 to 13mm.(3)For exquisite fabric, release the presser foot slowly function, avoid fabrics damage.

可选配防鸟巢装置，去除鸟巢现象  
Optional anti-bird nest device solves the bird nest problem.

可选配富山IoT功能，实现设备网络联接功能，助力企业打造数字化工厂  
HIKARI IOT function is optional, implement device net work connection function, Help customer build digital factories.



## 新一代智能平缝机 NEW GENERATION OF INTELLIGENT LOCKSTITCH SEWING MACHINE H9V-II

H9V-II-F-7D-5/AK	自动供油 Automatic Oil Supply	DBx1	0-5	0-13	◆	◆	◆	◆	◆	◆	◆	◆
H9V-II-D-5/AK	自动供油 Automatic Oil Supply	DBx1	0-5	0-13	◆	◆	◆	◆	◆	◆	◆	◆
H9V-II-H-7D-5/AK	自动供油 Automatic Oil Supply	DPx5	0-7	0-13	◆	◆	◆	◆	◆	◆	◆	◆

# 数字驱动 线迹自美观的 切布刀刀架无油带刀平缝机

DIGITAL DRIVE BEAUTIFUL STITCHES EDGE-CUTTING LOCKSTITCH SEWING MACHINE WITH OIL FREE FABRIC TRIMMER

## 痛点VS价值买点 Pain points VS Buy points

- 不断线。断线几率大幅度降低  
No thread breakage. Reduce the probability of thread breakage greatly.
- 厚薄面料变化基本不用调，且线迹美观  
Basically no adjustment required for the changes in thin and thick fabrics.
- 薄料缝制起皱大幅度改善  
Sewing thin fabric without puckering

## 尚有价值魅力 More values

- 杠杆式切刀分离机构,操作便捷、切布稳定  
Lever type cutter separation mechanism, convenient operation, stable cutting cloth
- 切刀与机针同步与异步可调  
The cutter and needle are synchronously and asynchronously adjustable
- 倒缝声音轻。电脑控制倒缝,倒缝声音轻柔  
The sound of reverse stitching is light. With the computer controlling reverse stitching, the sound of reverse stitching is soft.
- 密封式油盘设计,有效防止布料污染  
Sealed oil tank to effectively prevent oil stains.
- 针距准。数字化针距控制,0.1mm的调整精度满足高品质的需求  
Accurate stitch length. Digital stitch length control, 0.1mm adjustment accuracy to meet the requirement of high quality.
- 缝制模式多,可实现自由缝、定长缝、密针缝、多段缝、多段循环缝、花样缝  
Various sewing model. Normal stitching, fixed length stitching, condense stitching, multi-section stitching, multi-section circular stitching, pattern stitching.
- ①抬压脚数字驱动,提升高度可调、速度可调;②采用电脑控制压脚抬放,高度0-13mm可调,设定缓放压脚功能,③可保护面料不受损  
(1)Computerized foot lifter, lifting height and speed can be adjusted.(2)The computer controls foot lifter, and the height is adjustable from 0 to 13mm.(3)For exquisite fabric, release the presser foot slowly function, avoid fabrics damage.
- 可选配富山IoT功能,实现设备网络联接功能,助力企业打造数字化工厂  
HIKARI IOT function is optional, implement device network connection function, Help customer build digital factories.



新一代智能带刀平缝机  
NEW GENERATION OF INTELLIGENT  
EDGE-CUTTING LOCKSTITCH SEWING MACHINE  
**H99V**

- H99V-7C-5/AK
- 自动供油  
Automatic Oil Supply
- DBx1
- 0-5
- 0-13
- 倒回缝  
Reverse Stitching
- 5000
- 665x260x625mm

# 切布刀刀架无油的带刀平缝机

EDGE CUTTER HOLDER OIL- FREE EDGE CUTTER LOCKSTITCH MACHINE

电脑直驱带刀平缝机  
COMPUTERIZED EDGE-CUTTING DIRECT  
DRIVE LOCKSTITCH SEWING MACHINE **H99S**

## 主要买点 Key Buying Points

杠杆式切刀分离机构,操作便捷、切布稳定  
Lever type cutter separation mechanism, convenient operation, stable cutting cloth

密封式油盘设计,有效防止布料污染  
Sealed oil tank to effectively prevent oil stains.

新型松线电磁铁,可参数调整,松线量更精准  
New type of thread tension release solenoid, adjustable parameters, amount of thread tension release be more accurate

具有切断包边条功能  
With the hemming strip cutter function.

## 功能 Functions

切刀与机针同步与异步可调  
The cutter and needle are synchronously and asynchronously adjustable

独立倒缝开关,操作方便  
Independent key button for reverse stitching, easy to operate

独立外置LED灯  
Independent external LED light

润滑脂润滑轴套及牙架销,杜绝油污污染  
Grease lubricates shaft bush and feed dog carrier to prevent oil stains

采用浮标检测油量,视窗显示油量直观  
Buoy is used to detect the oil volume, and the window displays the oil volume intuitively

切刀座轴表面镀Me-DLC涂层,表面硬度更高、更耐磨  
The cutter base shaft is coated with Me-DLC for higher surface hardness and better wear resistance



Icon	自动供油 Automatic Oil Supply	DBx1	0-5	0-13	倒回缝 Reverse Stitching						
	H99S-7C-5	自动供油 Automatic Oil Supply	DBx1	0-5	0-13	◆	◆	◆	◆	◆	◆
	H99S-7C-5/AK	自动供油 Automatic Oil Supply	DBx1	0-5	0-13	◆	◆	◆	◆	◆	◆
	H99S-7C-5/AK/TC	自动供油 Automatic Oil Supply	DBx1	0-5	0-13	◆	◆	◆	◆	◆	◆
	H99S-7C-5/TC	自动供油 Automatic Oil Supply	DBx1	0-5	0-13	◆	◆	◆	◆	◆	◆
	H99S-Q/AK/BC	自动供油 Automatic Oil Supply	DBx1	0-5	0-13	◆	◆	◆	◆	◆	◆
	H99S-Q/AK/AT/BC	自动供油 Automatic Oil Supply	DBx1	0-5	0-13	◆	◆	◆	◆	◆	◆

# 直刀切线更稳定

## VERTICAL KNIFE TRIMMING IS MORE STABLE

### 主要买点 Key Buying Points

高效直刀切线：直刀切线行程更短更高效  
Efficient vertical knife trimming: vertical knife stroke is shorter and more efficient

微油润滑技术：旋梭供油更充分，使用稳定，更耐用  
Semi-dry oil lubrication technology. Hook oil supply more adequate, more stable, more durable.

自动抬压脚机构：优化抬压脚结构，输出力更加合理，减少对机械的损伤，提高使用寿命  
Auto foot lift mechanism has been improved to decrease the damage and increase the lifetime.

夹线机构：增加起针夹线功能，使起缝时线头置于缝料下方  
Thread tension device. with extra Thread tension device ensures the thread under the fabric.

机电一体化，提升缝制性能与缝制产品品质，操作面板采用触摸按键，科技感和实用性相结合  
Mechatronics improve the performance and sewing quality. touch screen panel make more easy to operate.

### 功能 Functions

采用超大力矩小型伺服电机(650W)保障中厚-厚料缝制需求  
Powerful servo motor(650w)meets the medium to heavy duty

5档可调LED照明灯  
5 degrees led light

采用同步带传动机构，传动平稳，噪音低  
Belt transmission ,more stable, low noise

采用防绕线手轮  
Anti thread rolling hand wheel

可选配后拖轮装置  
Optional rear puller



智能直驱双针平缝机(单针杆)  
COMPUTERIZED DIRECT DRIVE DOUBLE  
NEEDLE (FIX NEEDLE BAR) MACHINE

HT9210TC  
HT9250TC



Icon	Icon	Icon	Icon	Icon	Icon	Icon	Icon	Icon	Icon
HT9210TC-7P-5/AK	自动供油 Automatic Oil Supply	DPx5	0-5	0-16	◆	◆	◆	◆	3000 725x320x680mm
HT9210TCH-7P-5/AK	自动供油 Automatic Oil Supply	DPx5	0-5	0-16	◆	◆	◆	◆	3000 725x320x680mm
HT9250TC-7P-5/AK	自动供油 Automatic Oil Supply	DPx5	0-7	0-16	◆	◆	◆	◆	3000 725x320x680mm
HT9250TCH-7P-5/AK	自动供油 Automatic Oil Supply	DPx5	0-7	0-16	◆	◆	◆	◆	3000 725x320x680mm

# 直刀切线更稳定

## VERTICAL KNIFE TRIMMING IS MORE STABLE

### 主要买点 Key Buying Points

- 高效直刀切线, 直刀切线行程更短更高效  
Efficient Vertical knife trimming: Vertical knife stroke is shorter and more efficient
- 微油润滑技术, 旋梭供油更充分, 使用稳定, 更耐用  
Semi-dry lubrication technology. Hook oil supply more adequate, more stable, more durable.
- 自动抬压脚机构, 优化抬压脚结构, 输出力更加合理, 减少对机械的损伤, 提高使用寿命  
Auto foot lifter mechanism has been improved to decrease the damage and increase the lifetime.
- 夹线机构, 增加起针夹线功能, 使起缝时线头置于缝料下方  
Thread tension device. Thread tension device ensures the thread under the fabric.
- 机电一体化, 提升缝制性能与缝制产品品质, 操作面板采用触摸按键, 科技感和实用性相结合  
Mechatronics improve the performance and sewing quality. touch screen panel make more easy to operate.

### 功能 Functions

- 可进行角缝  
Angle stitch can be performed
- 采用超大力矩小型伺服电机(650W)保障中厚-厚料缝制需求  
Powerful servo motor(650w)meets the medium to heavy duty
- 采用同步带传动机构, 传动平稳, 噪音低  
Belt transmission, more stable, low noise
- 5档可调LED照明灯  
5 degrees led light
- 采用防绕线手轮  
Anti thread rolling hand wheel
- 可选配后拖轮装置  
Optional rear puller



智能直驱双针平缝机(双针杆)  
COMPUTERIZED DIRECT DRIVE DOUBLE NEEDLE  
LOCKSTITCH MACHINE (SPLIT NEEDLE BAR)

**HT9220TC**  
**HT9260TC**



Icon	Icon	Icon	Icon	Icon	Icon	Icon	Icon	Icon	Icon
HT9220TC-7P-5/AK	自动供油 Automatic Oil Supply	DPx5	0-5	0-16	◆	◆	◆	3000	725x320x680mm
HT9220TCH-7P-5/AK	自动供油 Automatic Oil Supply	DPx5	0-5	0-16	◆	◆	◆	3000	725x320x680mm
HT9260TC-7P-5/AK	自动供油 Automatic Oil Supply	DPx5	0-7	0-16	◆	◆	◆	3000	725x320x680mm
HT9260TCH-7P-5/AK	自动供油 Automatic Oil Supply	DPx5	0-7	0-16	◆	◆	◆	3000	725x320x680mm
HT9220TC-7P-5	自动供油 Automatic Oil Supply	DPx5	0-5	0-16	◆	◆	◆	3000	725x320x680mm


## 智能平缝机装置一览表

INTELLIGENT LOCKSTITCH DEVICES LIST

-		Led照明灯 LED Light
-		自动剪线 Automatic Trimming
-		切滚条装置 Binding Tape Cutting Device
PL		后拖轮 Rear Puller
AK		自动抬压脚 Automatic Presser foot lift
TC/BC		上/下吸风 Top/Bottom Suction Device

## 智能包缝机装置一览表

INTELLIGENT OVERLOCK DEVICES LIST

	直刀切气动自动切线装置 Pneumatic Vertical Trimming Device		UTC
	直刀切电动自动切线装置 Electronic Vertical Trimming Device		UTD
	侧切气动自动切线装置 Pneumatic Side Trimming Device		KSC
	下切吸入式气动自动切线装置 Pneumatic Flat Trimming Device		KHC
	平拖轮&齿拖轮 Rubber Puller&Gear Puller		PP
	拉筒装置 Folder		Q

# 数字驱动 线迹自美观

## DIGITAL DRIVE STITCHES NATURALLY-BEAUTIFUL

### 痛点VS价值买点 Pain points VS Buy points

不断线。断线几率大幅度降低  
No thread breakage. Reduce the probability of thread breakage greatly.

厚薄面料变化基本不用调，且线迹美观  
Basically no adjustment required for the changes in thin and thick fabrics.

薄料缝制起皱大幅度改善  
Sewing thin fabric without puckering

颠覆传统的穿线结构，穿线方式更省力快捷  
Subverting the traditional threading structure, the threading method is more labor-saving and faster

### 尚有价值魅力 More values

缝制适应能力强，送布机构全面升级，送布力大幅提升，轻松应对厚、薄面料及过梗缝制  
Strong sewing adaptability. Cloth feeding structure has been fully upgraded, the cloth feeding force has been greatly improved, sewing with thick and thin fabrics easily.

抬压脚数字驱动，声音轻。电脑控制抬压脚，可数字化调整压脚提升高度（0-7mm）  
computerized presser foot lifter, low noise. Computer controls presser foot lifter, digitization adjust height for presser foot lifter(0-7mm)

数字化控制剪线，前、后剪线线头比传统剪线更短，最短可达5mm  
Digitization control trimming, front and rear thread tail shorter, minimum 5mm

停针位置数字化可调，可根据工艺需要调整停针位置高低，轻松实现放置厚的面料（9mm）  
Needle position can adjust high and low position digitally, according to demand, applying to thick fabric(9mm)

可选配富山IoT功能，实现设备网络联接功能，助力企业打造数字化工厂  
HIKARI IOT function is optional, implement device net work connection function, Help customer build digital factories.



新一代智能包缝机  
NEW GENERATION OF INTELLIGENT  
OVERLOCK SEWING MACHINE

# HX8V-I



Model	DCx27	2	4	2	4mm	0.6-4.5	0.7-1.6	7.0	F	M	H	7000	534x368x496mm
HX8V-I-14	DCx27	2	4	2	4mm	0.6-4.5	0.7-1.6	7.0	◆	◆	◆	7000	534x368x496mm
HX8V-I-14-04B1	DCx27	2	4	2	7mm	0.6-4.5	0.7-1.6	7.0	◆	◆	◆	7000	534x368x496mm
HX8V-I-14-54	DCx27	2	4	2	4mm	0.6-4.5	0.7-1.6	7.0	◆	◆	◆	7000	534x368x496mm
HX8V-I-16-03	DCx27	2	5	3	5mm	0.6-3.8	0.7-1.6	5.5	◆	◆	◆	7000	534x368x496mm
HX8V-I-16-03B	DCx27	2	5	5	5mm	0.6-3.8	0.7-1.6	5.5	◆	◆	◆	7000	534x368x496mm
HX8V-I-16	DCx27	2	5	5	7mm	0.6-4.5	0.7-1.6	7.0	◆	◆	◆	7000	534x368x496mm
HX8V-I-18-03	DCx27	2	6	3x2	4mm	0.6-4.5	0.7-1.6	5.5	◆	◆	◆	7000	534x368x496mm
HX8V-I-18	DCx27	2	6	3x4	5mm	0.6-4.5	0.7-1.6	7.0	◆	◆	◆	7000	534x368x496mm



# 创新技术 线迹更美观

## INNOVATIVE TECHNOLOGY BEAUTIFUL STITCHES

### 主要买点 Key Buying Points

针对性解决薄厚、易错层面料问题，错层现象大幅度改善，适用于加棉童装、厚毛衣、卫衣、羽绒服、保暖内衣、多层易滑面料  
Specially solve the problem of thick material and easy layer split fabric. Child cotton wear, thick sweater, sweater, down jacket, thermal underwear, swimsuit, multi-layer easy to slip fabrics.

缝制薄料产品更平整  
Sewing with thin fabric more flat

### 功能 Functions

抬压脚数字驱动，声音轻，电脑控制抬压脚，可数字化调整压脚提升高度（0-7mm）  
Computerized presser foot lifter, low noise. Computerized presser foot lifter, digitization adjust height for presser foot lifter (0-7mm).

具有前、后短线头功能。数字化控制线头长度（0-5mm）  
Front and rear short thread tail function. Digital control thread tail length (0-5mm).

停针位置数字化可调，可根据工艺需要调整停针位置高低，轻松实现放置厚的面料（9mm）  
Needle position can adjust high and low position digitally, according to demand, applying to thick fabric (9mm)

可选配富士IoT功能，实现设备网络联接功能，助力企业打造数字化工厂  
HIKARI IOT function is optional, implement device net work connection function, Help customer build digital factories.



新一代智能直驱上下送布高速包缝机  
NEW GENERATION OF COMPUTERIZED DIRECT DRIVE TOP  
FEED HIGH SPEED OVERLOCK SEWING MACHINES

# HXT8V



Model	Needle	Stitch	Stitch Width	Stitch Length	Presser Foot	Presser Foot Height	Presser Foot Width	Presser Foot Length	Presser Foot Angle	Presser Foot Type	Presser Foot Material	Presser Foot Weight	Presser Foot Length	Presser Foot Width	Presser Foot Height	Presser Foot Angle	Presser Foot Type	Presser Foot Material	Presser Foot Weight	Presser Foot Length	Presser Foot Width	Presser Foot Height	Presser Foot Angle	Presser Foot Type	Presser Foot Material	Presser Foot Weight
HXT8V-14-03	DCx27	2	4	2	4mm	0.6-3.8	0.7-2.0	7.0	◆	◆	◆	7000	534x368x546mm													
HXT8V-14-04	DCx27	2	4	2	4mm	0.8-5.0	0.8-1.5	7.0	◆	◆	◆	7000	534x368x546mm													
HXT8V-14-04L	DCx27	2	4	2	4mm	2.0-7.0	0.7-2.0	7.0	◆	◆	◆	7000	534x368x546mm													
HXT8V-16-03	DCx27	2	5	3	5mm	0.6-3.8	0.7-2.0	5.5	◆	◆	◆	7000	534x368x546mm													
HXT8V-16-03B	DCx27	2	5	5	5mm	0.6-3.8	0.7-2.0	5.5	◆	◆	◆	7000	534x368x546mm													
HXT8V-16-04	DCx27	2	5	5	7mm	0.8-5.0	0.8-1.5	7.0	◆	◆	◆	7000	534x368x546mm													
HXT8V-18-03	DCx27	3	6	3x2	4mm	0.6-3.8	0.7-2.0	5.5	◆	◆	◆	7000	534x368x546mm													
HXT8V-18-04	DCx27	3	6	3x4	5mm	0.8-5.0	0.8-1.5	7.0	◆	◆	◆	7000	534x368x546mm													
HXT8V-14-03C	DCx27	2	4	2	4mm	0.6-3.8	0.7-2.0	7.0	◆	◆	◆	7000	534x368x546mm													
HXT8V-14-04C	DCx27	2	4	2	4mm	0.6-5.0	0.8-1.5	7.0	◆	◆	◆	7000	534x368x546mm													
HXT8V-16-03C	DCx27	2	4	2	4mm	2.0-7.0	0.7-2.0	7.0	◆	◆	◆	7000	534x368x546mm													
HXT8V-16-03B/C	DCx27	2	5	3	5mm	0.6-3.8	0.7-2.0	5.5	◆	◆	◆	7000	534x368x546mm													
HXT8V-16-04C	DCx27	2	5	5	5mm	0.6-3.8	0.7-2.0	5.5	◆	◆	◆	7000	534x368x546mm													
HXT8V-18-03C	DCx27	2	5	5	7mm	0.8-5.0	0.8-1.5	7.0	◆	◆	◆	7000	534x368x546mm													
HXT8V-18-03C	DCx27	3	6	3x2	4mm	0.6-3.8	0.7-2.0	5.5	◆	◆	◆	7000	534x368x546mm													
HXT8V-18-04C	DCx27	3	6	3x4	5mm	0.8-5.0	0.8-1.5	7.0	◆	◆	◆	7000	534x368x546mm													

# 声音轻 速度快

## LOW NOISE FAST SPEED

### 主要买点 Key Buying Points

机嘴周长小巧：机嘴周长148mm，能适应小且有难度的工序  
Small operation bed;circumference 148mm,It can adopt to small and difficult process.

一体化新升级：一体化设计，提升软硬件性能与缝制品质  
Integrated new upgrade:integrated design,improve hardware and software performance and sewing quality

### 功能 Functions

针对童装袖口、内衣上橡筋、手套等工序  
Responsible for kid wear sleeves,lingerie elastic band and gloves

采用直驱伺服马达，响应速度敏捷  
Adopting the direct drive servo motor,having fast response

线迹美观  
Beautiful stitches




Model	Needle	1	3	0	4mm	0.7-3.8	0.8-1.8	5.5	F	M	H	rpm	Dimensions
HX6904TA-02KSC/AK	DCx27	1	3	0	4mm	0.7-3.8	0.8-1.8	5.5	◆			7000	560x450x640mm
HX6914TA-03KSC/AK	DCx27	2	4	2	4mm	0.7-3.8	0.8-1.8	5.5		◆		7000	560x450x640mm
HX6914TA-04KSC/AK	DCx27	2	4	2	4mm	0.7-3.8	0.8-1.8	5.5			◆	7000	560x450x640mm

电脑直驱细嘴高速包缝机  
COMPUTERIZED DIRECT DRIVE CYLINDER BED  
HIGH SPEED OVERLOCK SEWING MACHINE

# HX6900TA

KSC/AK



# 防错层

## AVOID MULTI-LAYER

### 主要买点 Key Buying Points

旋钮式送布结构：缝制易滑面料不错层，制品品质美观  
Knobs type feeding adjusting structure: avoid the layers spiting during the slippery stitching, high quality performance

一体化新升级：一体化设计，提升软硬件性能与缝制品质  
Integrated new upgrade: integrated design, improve software and hardware performance and sewing quality

控制更准确，可实现个性化设定停车点  
Control more precisely, realizing personalized stop points

### 功能 Functions

轻便：一体化设计便于运输与安装  
Light: easy to transport and installation

更亮：搭载LED灯实现大范围照明  
Brighter: LED can cover large scale

采用直驱伺服马达，响应速度敏捷  
Adopt to direct drive servo motor, have fast response




HXT6914TA-04KSC/AK	DCx27	2	4	2	4mm	0.6-3.8	0.8-1.8	5.5		7000 rpm	560x450x640mm

电脑直驱上下送布细嘴包缝机  
COMPUTERIZED DIRECT DRIVE TOP FEED CYLINDER  
BED HIGH SPEED OVERLOCK SEWING MACHINE

# HXT6900TA

KSC/AK



# 一机两用 一流品质

ONE MACHINE WITH TWO FUNCTIONS  
FIRST-CLASS QUALITY

## 痛点VS价值买点 Pain points VS Buy points

一机两用，标准缝与滚边缝一机实现  
One machine with two functions high quality:can realize standard sewing and binding sewing

缝制效率更快、品质更有保障  
High efficiency,guarantee quality

## 尚有价值魅力 More values

创新技术与结构，抬压脚和剪线时更快，声音更轻柔  
Innovative technology and structure,faster speed for presser foot lifter and trimming,low noise

电脑数字化控制抬压脚，高度可调，最高可到7mm，放布更便捷  
Computer controls presser foot,digitization adjust height for presser foot can achieve maximum 7mm,putting fabric more convenient

过线孔用陶瓷眼，线迹美观  
More wear-resisting ceramic threading guide hole make threading smoothly and beautiful stitch.

可选配富山IoT功能，实现设备网络联接功能，助力企业打造数字化工厂  
HIKARI IOT function is optional, implement device net work connection function, Help customer build digital factories.



Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	Icon 10
HW76V-1-2-1x356/UTM	UYX128GAS	3	5	5.6	4.4	7	0.5-1.3	5000	700x410x670mm
HW76V-1-2-1x356/UAM	UYX128GAS	3	4	5.6	4.4	7	0.5-1.3	5000	700x410x670mm
HW76V-1-2-1x356/UTM/A	UYX128GAS	3	5	5.6	4.4	7	0.5-1.3	5000	700x410x670mm
HW76V-1-2-2x356/UAM/T	UYX128GAS	3	4	5.6	4.4	7	0.5-1.3	5000	700x410x670mm

# 新一代智能绷缝机 NEW GENERATION OF INTELLIGENT INTERLOCK SEWING MACHINE HW76V



# 一机两用

## ONE MACHINE WITH TWO FUNCTIONS

### 主要买点 Key Buying Points

一机两用，可标准缝与滚边缝两用  
One machine with two functions. It can be used as standard sewing and binding sewing.

高效率低噪音，4500转/分速度下低噪音  
High efficiency and low noise, low noise under 4500 RPM

切线更加稳定，自动切线装置，精准切线  
Trimmer more stable, Auto trimmer device, accurately trimming.

### 功能 Functions

采用自动抬压脚装置  
Apply auto foot lifter device

采用上切线组件 (UTC)  
Apply upper trimmer device(UTC)

线迹美观  
Beautiful stitches

LED照明灯  
LED light



Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	Icon 10
HW762T-1·2x356	UY128GAS#10S	3	5	5.6	4.4	7	0.5-1.3	6000	700x410x670mm
HW762T-1·2-1x364UTC/AK	UY128GAS#10S	3	5	6.4	4.4	7	0.5-1.3	6000	700x410x670mm
HW762T-1·2-1x356UTD/AK	UY128GAS#10S	3	5	5.6	4.4	7	0.5-1.3	6000	700x410x670mm
HW762T-1·2-1x356UAD/AK	UY128GAS#10S	3	4	5.6	4.4	7	0.5-1.3	6000	700x410x670mm
HW762T-1·2-1x356UAC/AK	UY128GAS#10S	3	4	5.6	4.4	7	0.5-1.3	6000	700x410x670mm
HW762T-1·2-2x356AT/AK	UY128GAS#10S	3	5	5.6	4.4	7	0.5-1.3	6000	700x410x670mm

电脑直驱自动剪线平台式绷缝机  
COMPUTERIZED DIRECT-DRIVE AUTOMATIC  
TRIMMING FLATBED INTERLOCK MACHINE

# HW762T



## 智能控制橡筋松紧 松紧多段可选择

INTELLIGENT CONTROL ELASTIC TENSION,  
DIFFERENT LEVEL TENSION CAN BE CHOSEN.

### 主要买点 Key Buying Points


可多段控制橡筋松紧度  
The elastic tension can be controlled in multi-level

光电感应,效率更高(选配),双光眼设计,自动感应切带可大幅度提升效率  
Optronic sensor,higher efficiency.(Optional).Double sensors design, Automatic sensing the cutting tape,which can improve the working efficiency significantly.

### 功能 Functions

采用右切刀装置  
Apply right-hand trimmer device.

采用电脑送料装置  
Apply computerized feeding device.



HW762T-05x356SP09B	UY128GAS#10S	3	5	5.6	4.4	5.0	0.5-1.0	5000	700x410x670mm
HW762T-05x356AT/AK	UY128GAS#10S	3	5	5.6	4.4	5.0	0.5-1.0	5000	700x410x670mm

电脑直驱平台式绷缝机(带电脑送料装置)  
COMPUTERIZED DIRECT-DRIVE FLATBED INTERLOCK  
MACHINE(WITH COMPUTERIZED FEEDING DEVICE)

# HW762T

05/SP09



# 一流品质 顺畅高效

FIRST-CLASS QUALITY AND HIGH EFFICIENT

## 痛点VS价值买点 Pain points VS Buy points

结构创新与机电一体化高度融合，缝制效率更快、品质更有保障  
Highly integrated with structural innovation and mechatronics, sewing efficiency is faster and quality is more guaranteed.

防脱线（前后密针或者锁缝功能）可选配  
Anti-unraveling technology (condense stitch or lock-sewing function) is optional.

后拖轮可选配  
The rear puller is optional.

## 尚有价值魅力 More values

创新技术与结构，抬压脚和剪线时快且声音轻柔  
Innovative technology and structure of presser foot lifter and trimmer system, makes the trimming faster with very low sound.

电脑数字化控制抬压脚，高度可调，最高可到7mm，放布更便捷  
Computer digital control foot lifter. And the height is adjustable to max. 7mm. More convenient to feed the fabric.

方头圆顺，圆径更小（280MM），便于您的缝制，轻快高效  
Smooth cylinder bed with smaller diameter (280mm) makes the sewing faster and easier to improve productivity.


过线孔用陶瓷眼，线迹美观  
More wear-resisting ceramic threading guide hole make threading smoothly and beautiful stitch.

可选配富士IoT功能，实现设备网络联接功能，助力企业打造数字化工厂  
HIKARI IOT function is optional, implement device network connection function, Help customer build digital factories.



Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	Icon 10
HW78V-01x356/UTM	UYX128GAS	3	5	5.6	4.5	7	0.9-1.3	5000	705x415x655mm
HW78V-01x356/UAM	UYX128GAS	3	4	5.6	4.5	7	0.9-1.3	5000	705x415x655mm
HW78V-01x356/UTM/A	UYX128GAS	3	5	5.6	4.5	7	0.9-1.3	5000	705x415x655mm
HW78V-01x356/UAM/T	UYX128GAS	3	4	5.6	4.5	7	0.9-1.3	5000	705x415x655mm

# 新一代智能绷缝机 NEW GENERATION OF INTELLIGENT CYLINDER BED INTERLOCK SEWING MACHINE HW78V



# 可透视的左切刀绷缝机

## PERSPECTIVE LEFT-HAND KNIFE CYLINDER BED INTERLOCK SEWING MACHINE

### 主要买点 Key Buying Points

**布边透视技术:** 布边透视技术上下摆折叠量可视, 操作便捷、保障缝制品质  
Fabric perspective technology: Fabric perspective technology can easily see the hemming folding, more easily operating, and guarantee the sewing quality

**布边展平技术(可选):** 通过控制风道强弱防止布料卷边, 高效生产, 保障品质  
Fabric anti curling technology(Optional): Regulate the air to prevent fabric rolling, high productivity. Guarantee the sewing quality.

### 功能 Functions

**采用新式集尘管道, 风力集中**  
New dust suction tube, air more concentrate, copper-made, more durable against rust.

**新式缝台结构, 穿线与弯针调整更便捷**  
New easy operation bed mechanism for more convenient threading and looper adjusting.

**新型调刀结构, 剪线稳定**  
New trimming structure is more adjustable and stable.

**采用新式集尘管道, 风力集中**  
New dust suction tube, air more concentrate, copper-made, more durable against rust.



Icon	Icon	Icon	Icon	Icon	Icon	Icon	Icon	Icon	Icon
HW782T-35Bx356LV1/UTC/AK	UY128GAS#10S	3	5	5.6	4.5	5.5	0.9-1.3	5000	700x410x670mm
HW782T-35Bx356LV1/UAC2/AK	UY128GAS#10S	3	4	5.6	4.5	5.5	0.9-1.3	5000	700x410x670mm
HW782T-35Bx364LV1/UTC/AK	UY128GAS#10S	3	5	6.4	4.5	5.5	0.9-1.3	5000	700x410x670mm
HW782T-35Bx364LV1/UAC2/AK	UY128GAS#10S	3	4	6.4	4.5	5.5	0.9-1.3	5000	700x410x670mm

## 电脑直驱左切刀高速绷缝机

### COMPUTERIZED DIRECT-DRIVE HIGH SPEED CYLINDER BED INTERLOCK MACHINE (LEFT HAND KNIFE)

# HW782T

35B × 356LV1



# 机针冷却 可高速缝制

PATENTED DESIGN NEEDLE COOLING TECHNOLOGY  
CAN SEWING FASTER AND MORE STABLE

## 主要买点 Key Buying Points

机针冷却技术,通过物理降温,防止机针过热引起断线  
Patented design needle cooling technology.Through physical cooling prevent to break the thread when the needle is too hot.

高压气流替代物理拔线,起缝没有线头  
High Pressure air replace physical thread wiper, No thread tail at the beginning stitch.

## 功能 Functions

采用配套撑开架装置  
With elastic extending device

新式缝台结构,穿线与弯针调整更便捷  
New easy operation bed mechanism for threading and looper adjusting

新型调刀结构,剪线稳定  
New trimming adjusting mechanism enables higher efficiency

采用新式集尘管道,风力集中  
New dust suction tube, air more concentrate, copper-made, more durable against rust.



HW782TA-33Ax356RV/UAC2/AK/PL



UY128GAS#10S



3



4



5.6



4.5



5.5



0.9-1.3



5000




700x410x670mm

电脑直驱右切刀高速绷缝机  
COMPUTERIZED DIRECT-DRIVE HIGH SPEED  
CYLINDER BED INTERLOCK SEWING MACHINE

# HW782TA

33A × 356RV



## 效率高 (20%) 省力 (50%)、长寿 (1倍)

EFFICIENCY (+20%) LABOR SAVING (-50%)  
SERVICE LIFE (DOUBLE)

### 主要买点 Key Buying Points

绝然不同的新式传动结构,明显轻松、高效,震动小而声音轻柔,舒服又高产  
Revolutions improvement in transmission structure.The structure makes sewing more easier and efficient,Low vibration and soft sound, comfortable and productive

专利创设了保证剪线稳定的结构,轻松高效  
Patent structure ensure trimming steady.

### 功能 Functions

自动剪线  
Auto-thread trimmer

自动抬压脚  
Auto presser foot lifter

多针位可选 (4针、12针、13针、19针)  
Various options(4 needles, 12 needles, 13 needles, 19 needles)

可定制切滚条装置多针机  
Customizable roller cutting device multi needle integrated machine


过线孔用陶瓷眼, 线迹美观  
More wear-resisting ceramic threading guide hole make threading smoothly and beautiful stitch.

可选配富山IoT功能, 实现设备网络联接功能, 助力企业打造数字化工厂  
HIKARI IOT function is optional to realize the function of equipment network connection and help enterprises build digital factories.



电脑自动剪线多针一体机  
COMPUTERIZED AUTO THREAD  
TRIMMINGMULTI NEEDLES INTEGRATED MACHINE

# HW800C



Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	Icon 10
HW800C-0485UTC/AK/PL	UOX113GS	4	8	5	10	◆	◆	4000	705x415x655mm
HW800C-1264UTC/AK/PL	UOX113GS	12	24	5	10	◆	◆	4000	705x415x655mm
HW800C-1332·0864UTC/AK/PL	UOX113GS	8	16	5	10	◆	◆	4000	705x415x655mm
HW800C-1932·0896UTC/AK/PL	UOX113GS	8	16	5	10	◆	◆	4000	705x415x655mm

## 闭环控制技术 线迹美观

### CLOSED LOOP CONTROL TECHNOLOGY MAKE THE STITCH BEAUTIFUL

#### 主要买点 Key Buying Points

闭环控制技术  
Closed loop control technology

杜绝失步弊端，线迹更加美观  
Avoid stitch skip disadvantages, and make more beautiful stitches.

#### 功能 Functions

采用电子夹线器，减少鸟巢  
With electronic thread clipper to reduce the bird nest stitches

全彩触摸屏人机交互界面(可编辑花样)  
Color touch screen user interface(design patterns)

LED照明灯  
LED light

一键穿线功能  
One-key threading function

针杆采用金刚石镀膜防油污  
Needle bar with diamond-coating avoid oil stain



HK2900ASS-1

DPx5

0.1-10

0-17

X:40,Y:30mm

◆

◆

◆

3000

820x335x780mm

HK2900AHS-1

DPx17

0.1-10

0-17

X:40,Y:30mm

◆

◆

◆

2700

820x335x780mm

电脑直驱套结机(带电子夹线器)  
COMPUTERIZED BAR TACKING MACHINE  
(WITH CLIP DEVICE)

# HK2900ASS



# 自动送扣 可省两人

## AUTO BUTTON FEEDING MACHINE, ONE MACHINE CAN REPLACES 2 SKILLED OPERATORS

### 主要买点 Key Buying Points

效率高出传统机械3倍,电脑自动准确送扣,结合设备缝制性能,效率为传统机械3倍  
Three times higher efficiency of the manual feeding.Auto controlled button feeding device combined with the excellent stitch performance, the efficiency is three times higher than mechanical ones.

生产数据评测,平均每分钟完成10-15个纽扣,生产效率是传统机型的2-3倍;8小时可缝衣片850-950(每6颗一片)因缝制条件不一(钉眼数和针数等)以上数据仅供参考  
Production analysis.10-15 buttons per min, the efficiency is 2 to 3 times higher than mechanical machine; 850 to 950 pcs garment in 8 hours (6 pcs buttons per garment);The above features is for reference (it varies due to the buttons holes and stitched)

### 功能 Functions

自动电脑送扣  
Auto computerized buttons feeding

精确输钮功能  
Accurate buttons feeding

全彩触摸屏人机交互界面  
Color touch screen HMI

五档可调LED照明灯  
5 Degrees led light

一键穿线功能  
One-click threading function



				纽扣尺寸 Button Size				
HK2903ASS-1	DPx17	0.1-10	Max:13	尺寸Size (Φ8-Φ32mm) 标准Standard (Φ8-Φ20mm)	◆	◆	2700	1635x715x1275mm



自动输钮钉扣机  
AUTO BUTTON FEEDING  
ATTACHING MACHINE

ASK-A  
HK-2903-A

## 快且灵活 FAST AND FLEXIBLE

### 主要买点 Key Buying Points

一机多用,简单便捷更换纽夹装置,可实现套结、钉扣功能  
A multi-usage machine.Simple and convenient replacement of the clip device, can achieve the tacking, button attaching function.

新型夹线机构,有效防止面线脱线,缩短切线后余线长度,避免出现鸟巢状线迹  
New clipping mechanism,Effectively prevent the top stitch from straying, Shorten the length of the remaining line, and avoid the bird nest stitch

### 功能 Functions


新型抬压脚机构,可数据化调节压脚高度,精准落针起缝点  
The new presser foot lifting mechanism can adjust the height of the presser foot lifter by control panel, and precisely drop stitch start point

触摸屏操作面板,可视化更人性化  
Touch screen operation panel, more user-friendly visualization

无油式针杆,可杜绝缝料的污染  
Oil-free needle bar, can eliminate the pollution of sewing material

高转速(最高转速3200rpm),完全按照缝制数据进行高质量高速缝纫  
High speed (maximum speed 3200rpm), in full accordance with the sewing data for high-quality and high-speed sewing

耗能量较传统机型降低了35%,更节能  
Energy consumption is reduced by 35% compared with mechanical models, More energy saving.



## 电脑直驱式电子套结机(薄料小花样) COMPUTERIZED DIRECT DRIVE ELECTRONIC BAR TACKING MACHINE (THIN FABRIC VIGNETTE)

# HK430DS



Model	Needle	Presser Foot	Presser Foot Height (mm)	Presser Foot Width (mm)	Sewing Range (mm)	Scissors	M	H	Speed (rpm)	Dimensions (mm)
HK-430DS-01	DPx5	0.1-12.7	14-17	X:40,Y:30mm	◆	◆			3200	800x460x560mm
HK-430DS-02	DPx17	0.1-12.7	14-17	X:40,Y:30mm	◆		◆		3200	800x460x560mm

# 线迹美观 防油污

## BEAUTIFUL STITCH AND OIL RESISTANT

### 主要买点 Key Buying Points

干式机头，机头上部采用润滑脂润滑、机腔无油  
Dry machine head, The top part of the machine head is lubricated with lubricating tires, No oil in the machine chamber.

电子夹线、线迹美观，实现智能调节缝线张力、线迹美观  
Electronic clip, beautiful stitch, intelligent adjustment of stitch tension, beautiful stitch.

先切后缝，锁眼内圈可进行包边，制品美观无线毛  
Sewing after cutting, the inner ring of the keyhole can be wrapped, and the products are beautiful wireless wool.

### 功能 Functions

设计最高转速4200 转  
Maximum speed 4200rpm

采用自动抬压脚功能  
Auto presser foot lifter

采用自动剪底、面线功能，无需人工剪线  
Auto trimmer for the bottom and top stitch function, no manual cutting line.

全功能标识操作面板，操作便捷、高效  
Full-function identification operation panel, convenient and efficient operation.



HBH-1790E-S	DPx5	34.6mm	14-17mm	◆	◆	◆	4200
HBH-1790E-K	DPx5	34.6mm	14-17mm	◆	◆	◆	4200

# 智能平头锁眼机 HBH1790E

## INTELLIGENT STRAIGHT BUTTON HOLING MACHINE



# 线迹稳定 美观

STITCH STABLE AND BEAUTIFUL

## 主要买点 Key Buying Points

科学改良底线夹线结构, 夹线的效果显著提升, 降低了起针脱线或线迹不良的概率  
Scientifically improving the bottom line clamp structure, The effect of wire clamping is significantly improved, Reduced the probability of needle detachment or poor stitching.


特殊工艺加工处理的齿轮和凸轮, 大幅度降低了机器噪音及震动, 舒适度显著提高  
Special process processed gears and cams can reduce machine noise and vibration significantly. And improved comfort of the operators.

## 功能 Functions

改良气缸优化改进的便携式气管接口, 即插即用, 用户外接气源更简便  
Improved cylinder optimization and portable tracheal interface, plug and play, more convenient for users to connect external air sources

跳针减少, 针脚不紧密的概率降低, 缝纫能力大大扩展  
The percentage of the stitch skipping and loose pins problem reduced a lot. Greatly expanded sewing ability.

图案的精确性更高  
Higher accuracy of patterns



							
HBH-9820-00	DOx558	5-50mm	12-16mm	◆	◆		2500
HBH-9820-01	DOx558	8-42mm	12-16mm	◆	◆		2500
HBH-9820-02	DOx558	8-42mm	12-16mm	◆		◆	2500

圆头锁眼机  
EYELET BUTTON  
HOLING MACHINE

# HBH9820



# 线迹美观

## BEAUTIFUL STITCH

### 主要买点 Key Buying Points

超短型直驱及相接结构, 直驱设计车缝更灵敏、拆装更方便、振动更少、噪音低  
Ultra-short direct drive and contact structure, Direct drive design more sensitive sewing, more convenient disassembly, less vibration and low noise

超大操作空间设计, 创新机座设计, 为车缝提供超大操作空间, 更利于大件物品的缝制  
Large operation space design, The innovative frame design provides a large operating space for sewing, which is more conducive to the sewing of large items

### 功能 Functions

改良型密封式过线结构  
Improved sealed thread guide structure

弹片式压脚机构, 该机构的作用使内页用薄料及高弹性面料均能充分对应  
Spring leaf press foot mechanism, the function of the mechanism enables the thin material and high elastic fabric used in the inner page to fully correspond.

选购件-AW吸布屑装置。改良型吸布装置, 加装此选购件, 可吸走切断的布屑, 使车缝平顺, 线迹美观  
Optional -AW suction device. Improved suction device, equipped with this optional part, can suck the cut cloth scraps, make the sewing smooth, beautiful stitch.



HW740TA



FL-118-CS



6



52=5.2  
60=6.0



1.6-2.5



1:0.7-1.5



8-10




30



4000

曲臂拼缝机  
FEED OFF THE ARM MACHINE

# HW740TA



# 高品质花样机

## HIGH QUALITY PATTERN SEWING MACHINE

### 主要买点 Key Buying Points

缝制范围, 自由选择 :10\*10/13\*10/15\*10/22\*10/30\*20/60\*30, 多种范围自由选择  
Sewing range, free choice: 10\*10/13\*10/15\*10/22\*10/30\*20/60\*30, Multiple ranges for free selection.

针杆无油设计  
Needle bar Oil Free Design.

模具定制, 工艺简化, 实现快速作业, 提高生产效率  
Mold customization, process simplification, fast operation, and improved production efficiency

### 功能 Functions

外置 LED 照明灯  
Exterior LED light

断线感应系统  
Thread breakage sensor system.

全彩触屏人机交互界面  
Full color touch screen user interface

可选配三联踏板  
Intallable triple pedal standing operation for option.

一键停机复位  
One-key reset function

可加装侧滑/反转压脚  
Installable with side slippage&reverse presser foot.




Model	Needle	Foot	Table Size	Stitch Length	Trimming	Presser	Speed (rpm)	Consumption (l/min)
HMS-1010GB-02A	DPx5	◆	10x10cm	0.1-12.7mm	◆	◆	3200rpm	1.71 l/min
HMS-1310GB-02A	DPx5	◆	13x10cm	0.1-12.7mm	◆	◆	3200rpm	1.71 l/min
HMS-1510GB-02A	DPx5	◆	15x10cm	0.1-12.7mm	◆	◆	3200rpm	1.71 l/min
HMS-2210GB-02A	DPx5	◆	22x10cm	0.1-12.7mm	◆	◆	3200rpm	1.71 l/min
HMS-3020GB-02A	DPx5	◆	30x20cm	0.1-12.7mm	◆	◆	3200rpm	1.81 l/min
HMS-6030GB-02A	DPx5	◆	60x30cm	0.1-12.7mm	◆	◆	3200rpm	1.81 l/min

## 电子花样机 HMS

### ELECTRONIC PATTERN SEWING MACHINE

1010/1310/1510/2210/3020/6030







# 突破平直美观指标的贴袋机

## THE POCKET SETTER WHICH BREAKTHROUGH THE FLAT AND BEAUTIFUL INDEX

### 主要买点 Key Buying Points

免烫，无需人工烫口袋。  
No Ironing, No need to manually iron pockets.

专利创设的新技术，应对难缝的厚、薄、弹性、柔软等各式针织面料，均能让口袋平整、美观。  
Patented new technology, which can make pocket flat and beautiful when dealing with those difficult sew fabric, like thick, think, elastic, soft and other knitted fabrics.

新人上手快，降低员工对缝纫技能的依赖，只放料，自动缝制。  
Easy for novices to operate, Reduce operator dependence on sewing skill, only unload material, automatic sewing.

### 功能 Functions


再次升级，最大有效缝制范围可达250\*270mm  
Upgrade in further, Max. sewing area can reach 250\*270mm

模具可调，可灵活应对，优美，高档。  
The mold is adjustable, wide adaptability, beautiful, high class.

全套袋模更换只需5分钟，是当前同类产品的佼佼者之一。  
It only takes 5 minutes to change the complete set of mold.

可灵活应对多种工作模式。  
Flexible to cope with various working modes.

配置富士IoT功能，实现设备网络联接功能，助力企业打造数字化工厂。  
HIKARI IOT function is optional, implement device net work connection function, Help customer build digital factories.



自动贴袋机  
ATUO POCKET SETTER

# HSAT-K4A



HSAT-K4A



自动供油  
Automatic Oil Supply



针织:DPX17  
衬衫:DPX17  
牛仔:DPX17



0.1-12.7



0-11



MAX:250X270MM  
MIN:35-40MM



60L/min



3000



2000x1400x1550mm

记忆程序数量  
Memory Programs

1000

马达  
Motor

750W直驱伺服马达  
750W DIRECT DRIVE SERVO MOTOR

快速换模时间  
Mould Adjustment Time

5-15分钟  
5-15 MINUTE

电源规格  
Power Specification

单相200-240V

能耗  
Energy Consumption

正常缝制  
500W

气压  
Pressure

0.5Mpa

# 满足超宽缝制范围

## MEETS EXTRA-WIDE SEWING RANGE

### 主要买点 Key Buying Points

搭载花样机机头，缝制线迹更美观  
Equipped with pattern machine head, Sewing stitches are more beautiful.

切带方式：超声波/冷刀  
Tape Cutting Method: Ultrasonic / Knife cutter

缝制橡筋宽度范围8-80MM  
Sewing elastic band width range: 8-80mm

缝制最小周长标准180mm，特殊工艺可订购最小周长150mm  
Minimum sewing circumference standard 180mm, Special processes can be ordered with a minimum circumference of 150mm

### 功能 Functions


自动三点定位功能可满足高档制品要求  
Automatic three-point positioning function can meet the requirements of high-class products.

可自动识别单个、多个logo位置  
Can automatically identify single or multiple logo positions.

可依制品规格，自动切断，自动接缝，自动收料  
Can do automatically cut, automatically butted seam, and automatically collect materials according to product specifications.

自动整形熨烫，保证橡筋熨烫整齐平整  
Auto shaping & ironing, ensure the elastic bands are ironed neatly and smoothly.


配置富山IoT功能，实现设备网络联接功能，助力企业打造数字化工厂  
Configure HIKARI IOT functions, implement device net work connection function. Help customer build digital factories.



## 自动接橡筋机(花样机款)

### AUTO ELASTIC JOINING MACHINE (PATTERN MACHINE TYPE)

# HAT-K5A



型号	型号标示说明	针	脚	刀	H	缝制长度范围	橡筋宽度范围	rpm	尺寸	
HAT-K5A-L50YSL	H-富山标示 AT-全自动 K-针织 5-橡筋机 A-第二代 L-冷刀 50-橡筋机缝制规格 Y-熨烫装置 S-收料装置 L-logo识别	DP×17Y DP×17B	1	2	0.05-12.7	8	最小180mm周长 最大不限制	8-50mm	2800	1860×1200×1370mm
HAT-K5A-C50YSL	H-富山标示 AT-全自动 K-针织 5-橡筋机 A-第二代 C-超声波 50-橡筋机缝制规格 Y-熨烫装置 S-收料装置 L-logo识别	DP×17Y DP×17B	1	2	0.05-12.7	8	最小180mm周长 最大不限制	2800	1860×1200×1370mm	
HAT-K5A-C80YSL	H-富山标示 AT-全自动 K-针织 5-橡筋机 A-第二代 C-超声波 80-橡筋机缝制规格 Y-熨烫装置 S-收料装置 L-logo识别	DP×17Y DP×17B	1	2	0.05-12.7	8	最小180mm周长 最大不限制	2800	1860×1200×1370mm	

# 线迹美观 BEAUTIFUL STITCHES

## 主要买点 Key Buying Points

搭载花样机机头，缝制线迹更美观  
Equipped with pattern machine head, Sewing stitches are more beautiful.

缝制橡筋宽度范围15-50MM  
Sewing elastic band width range: 15-50mm

缝制最小周长标准150mm  
Minimum sewing circumference standard 150mm

## 功能 Functions

可自动识别单个、多个logo位置  
Can automatically identify single or multiple Logo positions.

可自动识别单个、多个logo位置  
Can automatically identify single or multiple Logo positions.

可依制品规格，自动切断，自动接缝，自动收料  
Can automatically cut, automatically butted seam, and automatically collect materials according to product specifications.

自动整形熨烫，保证橡筋熨烫整齐平整  
Auto shaping & ironing, ensure the elastic bands are ironed neatly and smoothly

配置富山IoT功能，实现设备网络联接功能，助力企业打造数字化工厂  
Configure HIKARI IOT functions, Implement device net work connection function. Help customer build digital factories.



型号标示说明



HAT-K5C-C50YSL

H-富山标示 AT-全自动 K-针织 5-橡筋机 C-第三代 C-超声波 50-橡筋机缝制规格 Y-熨烫装置 S-收料装置 L-logo识别

DP×17Y  
DP×17B

1

2

0.05-12.7

8

最小150mm周长  
最大不限制


15-50mm

2800

1860×1200×1370mm

# 智能自动接橡筋机 (花样机焊接款) INTELLIGENT AUTO ELASTIC JOINING MACHINE (PATTERN MACHINE TYPE)

# HAT-K5C



# 花样一键生成

## CLICK ONE KEY TO GENERATE THE PATTERNS

### 主要买点 Key Buying Points

搭载套结机机头，缝制线迹更美观  
Equipped with pattern machine head, Sewing stitches are more beautiful.

切带方式：超声波/冷刀  
Tape Cutting Method: Ultrasonic / Knife cutter.

缝制橡筋宽度范围8-52MM  
Sewing elastic band width range: 8-52mm

缝制最小周长标准180mm  
Minimum sewing circumference standard 180mm

### 功能 Functions

自动三点定位功能可满足高档制品要求  
Automatic three-point positioning function can meet the requirements of high-class products.

可自动识别单个、多个logo位置  
Can automatically identify single or multiple logo positions.

可依制品规格，自动切断，自动接缝，自动收料  
Can automatically cut, automatically butted seam, and automatically collect materials according to product specifications.

自动整形熨烫，保证橡筋熨烫整齐平整  
Auto shaping & ironing, ensure the elastic bands are ironed neatly and smoothly

配置富山IoT功能，实现设备网络联接功能，助力企业打造数字化工厂  
Configure HIKARI IOT functions, implement device net work connection function. Help customer build digital factories.



## 智能自动接橡筋机(套结机款) INTELLIGENT AUTO ELASTIC JOINING MACHINE (BARTACK TYPE)

# HAT-K5D



型号	型号标示说明	针	脚	刀	H	mm	缝制长度范围	橡筋宽度范围	rpm	尺寸
HAT-K5D-L50YSL	H-富山标示 AT-全自动 K-针织 5-橡筋机 D-第四代 L-冷刀 50-橡筋机缝制规格 Y-熨烫装置 S-收料装置 L-Logo识别	DP×17Y DP×17B	1	2	0.05-12.7	8	最小180mm周长 最大不限制	8-52mm	3000	1860×1200×1370mm
HAT-K5D-C50YSL	H-富山标示 AT-全自动 K-针织 5-橡筋机 D-第四代 C-超声波 50-橡筋机缝制规格 Y-熨烫装置 S-收料装置 L-Logo识别	DP×17Y DP×17B	1	2	0.05-12.7	8	最小180mm周长 最大不限制	8-52mm	3000	1860×1200×1370mm

# 轻松上袖口/脚口

## EASY JOINING OF CUFF / TROUSERS LEG

### 主要买点 Key Buying Points

螺纹制品均匀美观

Threaded products are uniform and beautiful.

新人上手快, 降低员工对缝纫技能的依赖

Easy for novices to operate, Reduce operator dependence on sewing skill.

### 功能 Functions

袖口/脚口缝制范围8-25cm (半周长)

Sewing ange of cuff / trousers leg: 8-25cm (half circumference)

一键换码 快速切换 快捷方便

Change size with one click, quick switch, fast & convenient.

自动模式与人工模式可随心切换


Automatic mode and manual mode can be switched at will.

自动计件功能可快速统计产量

Automatic piece counting function can quickly count output.

配置富山IoT功能, 实现设备网络联接功能, 助力企业打造数字化工厂

Configure HIKARI IOT functions, implement device net work connection function. Help customer build digital factories.



HSAT-K6



DCx27 #9-#12



2



4



2



2x4



0.7-3.8



0.8-18



7



袖口、裤脚  
缝制高度

3-9cm



袖口、裤脚  
缝制范围

8-25mm(半周长)




4500



1380x780x1360mm

自动上螺纹袖口/脚口机  
AUTOMATIC THREADING CUFF  
TROUSERS LEG MACHINES

# HSAT-K6



# 压条美观

## BEAUTIFULLY STRAP FEEDING

### 主要买点 Key Buying Points

自动切割, 避免浪费滚条: 通过检测, 位置自动识别, 剪切位置精准, 节省滚条, 避免浪费  
Automatic cutting, avoid wasting strap rollers. Through detection to identify the position automatically, the cutting position is accurate, the roller is saved. and waste is avoided.

自动收料, 减少人工整理环节, 提高效率  
Automatic collection. Reduce operator handing time, improve efficiency.

### 功能 Functions

柔性专用压脚, 可应对厚薄不同的面料缝制平整、美观  
The flexible special presser foot can sew fabrics of different thicknesses smoothly and beautifully.

自动滚条成型, 拉筒自动成型滚条, 规格统一, 制品美观  
Auto strap shaping. Binder auto make unified tape with high quality.


自动滚条送带, 节约时间  
Auto feeding, save time.

自动计件功能  
Auto counting function.

自动吹气功能, 感应吹气功能, 确保缝制更顺畅  
Auto air blowing function, Auto sensor and air blowing function. Assures the smooth stitching.

多针位可选  
More size of needle gauge available.

配置富山IoT功能, 实现设备网络联接功能, 助力企业打造数字化工厂  
Configure HIKARI IOT functions, implement device net work connection function. Help customer build digital factories.



压条专用压滚条机  
AUTO ADIDAS STRAPS FEEDING MACHINE

# HSAT-K7A



HSAT-K7A



UO×113 GS



6



12



7-11-7-11-7  
13-11-13-11-13  
15-12-15-12-15



1-3



5.5-13



缝制滚条  
宽度  
48mm  
64mm  
72mm



3500  
rpm



1380x1030x1420mm

# 技术先进的上圆领机

TECHNOLOGY LEADING AUTO T-SHIRT NECK JOINING MACHINE

## 主要买点 Key Buying Points

新人上手快，降低操作对缝纫技能的依赖

Easy for novices to operate.Reduce operator dependence on sewing skill.

缝制范围28cm-140cm（周长），中童与成人圆领T恤均可实现平直精美的线迹  
Wide size option from 28-140cm(Perimeter),Suitable for elder children and adults collar sewing with beautiful stitches.

一键换款，快捷高效

One-click change style, fast and efficient.

缝制品质稳定可靠，领条宽度一致，领围均匀度美观

The sewing quality is more stable and reliable, the width of the collar strip is consistent,and the uniformity of the collar is circumference is more beautiful.

可轻松实现上圆领与上裤腰松紧带的切换

The machine can easily change from T-shirt neck joining to the waist joining.

## 功能 Functions

具有自动领条定位、分层定位（专利号 ZL20192155580.5-专利种类：实用新型）

With auto collar strip positioning, layer positioning (Patent No. ZL20192155580,5- patent sort: utility type)

缝制出的圆领尺寸精准，精度可达±2mm


Stitching accuracy of the collar can reach ±2mm

创设自动与人工分层，让您任意切换

Automatic mode and manual mode can be switched at will.

配置富山IoT功能，实现设备网络联接功能，助力企业打造数字化工厂

Configure HIKARI IOT functions, implement device net work connection function. Help customer build digital factories.



自动上圆领/裤腰机  
AUTO T-SHIRT NECK  
WAIST JOINING MACHINE.

# HSAT-K9D



HSAT-K9D	DCx27 #9-#11	2	4	2	2×4	0.7-3.8	0.8-1.8	1-7	1-4cm(折合)	28-140cm	2-7cm	35-140cm	4500	1380x780x1360mm

# 精准 轻快 PRECISE BRISK

## 主要买点 Key Buying Points

体型小巧，适用各种生产场地环境  
Exquisite appearance, suitable for a variety of production site environment

电脑程序控制，一键启动，操作简单，无需熟练工  
Computer program control, one-click start, simple operation, no need skilled workers

缝制最大范围500X400MM，最快速度4000转/分钟  
Maximum sewing range 500X400MM, maximum speed 4000 RPM

应用适应广（贴口袋、贴龟背、袋盖、门襟、领条、开口袋等）  
Wide application (Stick pocket, stick turtle back, bag cover, placket, collar strip, slash pocket, etc.)

## 功能 Functions

创新一体机头底座，让缝制更快速，运行更平稳，声音更轻  
Innovative integrated head base, make sewing faster, run flatter, and lighter sound

X轴、Y轴采用双丝杆驱动，控制精度更准  
X axis, Y axis using double screw drive, more accurate control accuracy

创新夹模板机构，模板精准定位，减少故障  
Innovative clamping mechanism, template accurate positioning, reduce faults


多种拓展功能可选（激光/吸风/红外线定位等功能）  
Multiple expansion functions are available (laser/air suction/infrared positioning and other functions)

可选配富士IoT功能，实现设备网络联接功能，助力企业打造数字化工厂  
HIKARI IOT function is optional, implement device network connection function, Help customer build digital factories.



小型模板机  
SMALL TEMPLATE MACHINE

# HMS-5040A



HMS-5040A



DBx1



50x40cm



1-12.7mm



4000rpm



1.71 l/min



丝杆驱动



丝杆驱动



吹气装置



模板感应识别

# 不漏绒、高效且声音轻

## NO LINT LEAKAGE, EFFICIENT AND QUIET

### 主要买点 Key Buying Points

着眼于用户价值的高效率，工作时最高转速可达3500rpm  
Focus on the efficiency of user value, the maximum working speed can reach to 3500rpm.

基于高效率作业保障的底线检测功能、机针吹气冷却装置、梭床吹气清理装置  
Bottom thread detection function based on high efficiency operation guarantee, needle blowing cooling device, hook base blowing air cleaning device.


基于精确缝制的设计,率先运用步进电机机构,宽于常规的同步带  
Based on the precise sewing design, the first use of stepper motor mechanism, wider than the conventional synchronous belt

### 功能 Functions

模板装夹精准设计,使模板稳固且模板的制作成本有望明显优化  
Template clamping precision design, make the template stable and the production cost of the template is expected to be significantly optimized.

精心设计的防油污装置,机头、机针无油化  
Well-designed anti-oil device, machine head and needle oil free

可折叠台板方便搬运  
Foldable table for easy handing.



HMS-13085A



DBx1



◆



130x85cm



0.5-12.7mm



◆



◆




3500rpm



1.71 l/min

高速无油花样模版机  
HIGH-SPEED OIL-FREE  
PATTERN TEMPLATE

# HMS-13085A



# 不漏绒、高效且声音轻

## NO LINT LEAKAGE, EFFICIENT AND QUIET

### 主要买点 Key Buying Points

360°旋转机头, 更快速高效  
360° Rotating head, faster and more efficient

缝制范围超大, Y向缝制范围达到950mm, 覆盖绝大部分款式缝制要求  
The sewing area is large, and the Y-direction sewing are can reaches 950mm, covering most styles of sewing requirements

自动识别面料高低, 完美解决起针不上线, 跑绒等现象  
Automatically identify the height of the fabric, perfectly solve the problem of skip thread, and down move out etc.


### 功能 Functions

棉线、丝光线可互换, 大梭床容线量大, 不经常更换底线  
Cotton thread, mercerized thread can be interchangeable, large hook base with more thread capacity, not often change the bobbin.

宽大的机座设计, 沉稳坚固, 声音更轻  
Wide frame design, calm and firm, lighter sound

微油设计, 让面料不受到油污  
Semi-dry design, keep the fabric without oil stain.

可折叠台板便于安装和搬运  
Foldable table for easy installation and handling



HMS-13095 RND-A



DBx1



130x95cm



0.5-12.7mm



3000rpm




1.71 l/min

高速无油花样模板机 (360°旋转机头)  
HIGH SPEED OIL-FREE PATTERN TEMPLATE  
SEWING MACHINE (360° ROTATING HEAD)

# HMS-13095

RND-A



# 新一代智能缝纫平台 ——无须模板的模板机

## NEW GENERATION OF INTELLIGENT SEWING STATION TEMPLATE SEWING MACHINE WITHOUT TEMPLATES

### 主要买点 Key Buying Points

一人可看管5台及以上（全自动功能）  
One operator can take care 5 or more sets of equipment. (full auto function)

相较通用模板缝纫机，每台每年节省1.5万元人民币模板等综合费用  
Compare with the general template machine, the working station unit machine can save \$2150 per-year by calculating comprehensive cost such as the templates.

### 功能(通用模板机难实现的功能价值)

Function (Functional value that cannot be achieved by Normal template sewing machine )

双旋梭换向，正反走线迹一致，无需空移浪费  
The double rotary shuttle is reversed, the positive and negative stitches are consistent, and there is no need to waste empty movement.

1倍小旋梭，减少断线概率，自动换梭，实现不间断高效作业  
1 times the small hook, reduce the probability of thread breakage, automatically change the shuttle, to achieve uninterrupted and efficient operation.

可缝纫裁片封闭边缘线，不需要增加工序在平缝机上人工缝纫  
Can sew pieces with closed edge seam. no need extra process with lockstitch machine by manual sewing.

机针与旋梭的距离和勾线角度可在触摸屏上可视数字调整  
The distance between needle and hook set, and hooking angle can be adjusted visually on the touch screen.

上下分别剪线并夹住线头功能，起针不脱线，线头小于5mm，不需要修剪线头  
Trim threads up and down separately, and thread clamping function, No skip thread when start sewing. Thread tail less 5mm, no need thread cutting in further.

投影图形摆放定位裁片  
Projection graphics placement and positioning of cutting pieces.

相较现有模板机，占地面积减少1/3以上  
Compared with the existing template machine, the floor area is reduced by more than 1/3.

可匹配自动摆放裁片机，实现无人化作业  
Can be matched with automatic placement cutting machine , Realize unmanned operation.

新一代智能缝纫平台  
THE NEW GENERATION INTELLIGENT  
SEWING WORKING STATION

# HI-250X95



## 图标符号一览表 SYMBOLS

平板式 Flat bed	线迹宽度 Stitch width	摆梭 Shuttle hook	箱底式 Box type	立柱式 Post bed	悬筒式 Cylinder type	送布量 Feed amount	差动比 Differential ratio
暗缝针 Blindstitch machine	针数 No. Of needles	机针 Needle	弯针 Looper	拨针 Wiper	线数 No. Of threads	模式 Sewing mode	自动锁眼 Auto buttonhole
离合式针杆 Split needle bar	针杆行程 Needle stroke	自动抬压脚 Auto lifter	压脚提升量 Height of presser foot	针间距 Needle gauge	针迹长度 Stitch length	跳缝机距比 Skipping ratio	切线 Thread trimmer
缝纫速度 Sewing speed	缝物厚度 Thickness of fabric	切边宽度 Cutting width	套结长度 Bar-tack length	套结宽度 Bar-tack width	锁眼长度 Buttonhole length	机身重塑 Body weight	供油方式 Lubricating mode
纽扣直径 Button dia.	薄料 Light-weight materials	中厚料 Medium-weight materials	厚料 Heavy-weight materials	卧式标准旋梭 Horizontal hook(standard)	立式标准旋梭 Vertical hook(standard)	撬缝机距比 Gap ratio	挡线 Thread wiper
卧式大旋梭 Horizontal hook(large)	立式大旋梭 Vertical hook(large)	线迹长度 Stitch length	下送布比 Bottom feed	上下送布 Top and bottom feed	针送布 Needle feed	加固缝 Straight line bartacking	包装箱尺寸 Packing size

## 各类服装流水线配置 GARMENT MANUFACTURING LINE CONFIGURATION

POLO衫 POLO-shirt	钉商标	合缝	合缝	卷下摆袖口	左刀卷下摆袖口	长压脚同时锁三眼	钉扣	套结	钉商标	龟背
	H9V-II P-03	HX8V-II P-17	HX8V-II P-17	HW78V P-31	HW782T-35B P-35	HBH1790E P-45	ASK-A(HK2903-A) P-41	HK2900ASS P-39	HMS-1010GB P-51	HMS-3020GB P-51

圆领衫 T-shirt	钉商标、车缝	合缝	左刀卷下摆袖口	加装拉筒	上圆领	压网线
	H9V-II P-03	HX8V-II P-17	HW782T-35B P-33	HW762T P-29	HSAT-K9D P-69	HW78V P-31

男士内裤 MEN'S BRIEF	钉商标	合缝	卷裤脚	左刀上裤腰	右刀上裤腰	上裤腰	拼缝	套结	钉纸牌商标	接橡筋
	H9V-II P-03	HX8V-II P-17	HW78V P-31	HW782T-35B P-33	HW782T-33A P-35	HX6914T 03UTC/AK/MC P-21	HW740TA P-49	HK2900ASS P-39	HK2900ASS P-39	HAT-K5C P-61

Single Needle Lock Stitching Machine For Brand Label Attaching	Four Thread Overlock For Jointing	Cylinder Bed Interlock For Leg Hole Cover-stitch	Bartacking Machine For Bratacking	Buttoning Machine For Lable (Papper) attaching	Flat Interlock With Right Knife For Elastic Attaching	Flat Interlock With Binder	Cylinder Bed Four Thread Overlock with Elastic Feeding For The Leg Hole	
钉商标	合缝	卷裤边	套结	钉纸牌商标	右刀上花边	带拉筒	加装送带装置卷脚边	
女士内裤 SHORTS	H9V-II P-03	HX8V-II P-17	HW78V P-31	HK2900ASS P-39	HK2900ASS P-39	HW762T(05/SP09) P-29	HW76V P-25	HX6914T 03UTC/AK/MC P-21

Single Needle Lock Stitching Machine For Brand Label Attaching	Double Needle Lockstitching Machine Attach Wire Tape To Cup Around	Bartacking Machine For The Bar Tack	Four Thread Overlock For Jointing	Buttoning Machine For Lable (Papper) Attaching	Flat Interlock With Binder	
钉商标	包骨缝	套结	合缝	钉纸牌商标	加装拉筒	
文胸 BRASSIERE	H9V-II P-03	HT9210TC P-09	HK2900ASS P-39	HX8V-II P-17	HK2900ASS P-39	HW762T P-27


Single Needle Lock Stitching Machine For Brand Label Attaching	Four Thread Overlock For Jointing	Five Thread Overlock For Jointing	Cylinder Bed Interlock For Leg Hole Cover-stitch	Double Needle Machine For Attaching Pocket	Bartacking Machine For Bratacking	Buttoning Machine For Button Attaching	Sright Button Holing Machine For Button Holing	Multi Needle Machine With Binder For Waist Banding	
车缝	合缝	合缝	卷裤脚	压明线、贴口袋	套结	钉扣	锁眼	多针机拉裤腰	
沙滩裤 BEACH SHORT	H9V-II P-03	HX8V-II P-17	HX8V-II P-17	HW78V P-31	HSAT-K4A P-57	HK2900ASS P-39	ASK-A(HK2903-A) P-41	HBH1790E P-45	HW800C P-37

Single Needle Lockstitching Machine For Brand Label Attaching	Four Thread Overlock For Jointing	Four Thread Overlock For Jointing	Double Needle Machine For Attaching	Chainstitch Machine For Side Seaming	Buttoning Machine For Button Attaching	Sright Button Holing Machine For Button Holing	Auton Templet Running Machine For Collar And Cuff Making	Pattern Machine (13*10) For Lable Attaching	Multi Needle Machine For Placket Stitching	Pattern Machine (22*10) for Half Moon Patching	Auto Pocket Setter		
车缝	锁边	合缝	压线	压线、合缝	钉扣	锁眼	领子、袖口	钉商标	左门襟压明线	龟背	口袋		
衬衫 SHIRTS	H9V-II P-03	HX8V-II P-17	HX8V-II P-17	HT9220TC P-11	HH-380A	ASK-A(HK2903-A) P-41	HBH1790E P-45	HSAT-H8800E-7C	HMS-1310 P-51	HW800C P-37	HMS-2210 P-51	HSAT-K4A P-57	

Single Needle Lockstitching Machine For Brand Label Attaching	Four Thread Overlock For Jointing	Four Thread Overlock For Jointing	Double Needle Machine For Attaching	Buttoning Machine For Button Attaching	Bartacking Machine For Bratacking	Eyelet Button Holing For Edge Cutter Machine For Edge Cutting	Single Needle Lockstitching With Edge Cutter Machine For Edge Cutting	Pattern Machine (13*10) for Lable Attaching	Pattern Machine (22*10) for Half Moon Patching	Sright Button Holing Machine For Button Holing	
车缝	锁边	合缝	压线	钉扣	套结	凤眼	刀车	钉商标	龟背	锁眼	
休闲西服 JACKET	H9V-II P-03	HX8V-II P-17	HX8V-II P-17	HT9220TC P-11	ASK-A(HK2903-A) P-41	HK2900ASS P-39	HBH1790E P-45	H99S P-07	HMS-1310 P-51	HMS-2210 P-51	HBH1790E P-45

Single Needle Lockstitching Machine For Brand Label Attaching	Single Needle, Bottom And Variable Top-feed, Lockstitch Machine	Four Thread Overlock For Jointing	Chainstitch Machine For Side Seaming	Chainstitch Machine For Side Seaming	Make Zipper	Bartacking Machine For Bratacking	Buttoning Machine For Button Attaching	Eyelet Button Holing For Making Eyelet Button Holes	Pattern Machine (13*10) For Lable Attaching		
车缝	差动送布	锁边	合缝	压线	上拉链	套结	钉扣	凤眼	钉商标		
西裤 SUITS	H9V-II P-03	H5490	HX8V-II P-17	HX8V-II P-17	HH-380A	H9120S	HK2900ASS P-39	ASK-A(HK2903-A) P-41	HBH1790E P-45	HMS-1310 P-57	

											
休闲裤 Casual pants	Single Needle Lockstitching Machine For Stright Side Stitching 车缝	Multi Needle Machine With Binder For Waist Banding 加拉筒拉裤头	Four Thread Overlock For Jointing 合缝	Double Needle Machin For Attaching 压线	Make Zipper 上拉链	Chainstitch Machine For Side Seaming 压线	Bartacking Machine For Bratacking 套结	Buttoning Machine For Button Attaching 钉扣	Eyelet Button Holing For Making Eyelet Button Holes 凤眼	Single Needle Lockstitching Machine For Brand Label Attaching 钉商标	
	H9V-II P-03	HW800C P-37	HX8V-II P-17	HT9220TC P-11	H9120S	HH380A	HK2900ASS P-39	ASK-A(HK2903-A) P-41	HBH1790E P-45	HMS-1310 P-51	

														
牛仔裤 Jeans	Single Needle Lockstitching Machine For Stright Side Stitching 车缝	Four Thread Overlock For Jointing 锁边	Four Thread Overlock For Jointing 合缝	Double Needle For Pocket Attaching 压线、贴袋	Chainstitch Machine For Side Seaming 压明线	Three Needle Feed-off Arm Machine For Jointing 合缝	Multi Needle Machine With Binder For Waist Banding 加拉筒拉裤腰	Pattern Machine For Lable Attaching 钉商标	Bartacking Machine For Bratacking 套结	Buttoning Machine For Button Attaching 钉扣	Eyelet Button Holing For Making Eyelet Button Holes 锁眼	Pattern Machine (22*10) For The Leather Lable Attaching 钉皮标		
	H9V-II P-03	HX8V-II P-17	HX8V-II P-17	HT9260TC P-11	HH-380A	HS-928PL	HW800C P-37	HMS-1310 P-51	HK2900ASS P-39	ASK-A(HK2903-A) P-41	HBH1790E P-45	HMS-2210 P-51		

														
羽绒服 Down jacket	Single Needle Lockstitching Machine For Stright Side Stitching 车缝	Four Thread Overlock For Jointing 锁边	Single Needle Lock stitching With Edge Cutter Machine With Binder For Edge Cutting And Binding 加装Q组包边	Flat Interlock With Binder For Edge Binding 加装拉筒包边	Long Arm Lockstitching Machine 长臂车	Auto Templet Machine (130*95) 自动模板机	Stright Button Holing Machine For Button Holing 锁眼	Eyelet Button Holing For Making Eyelet Button Holes 凤眼	Double Needle Machin For Attaching 压线	Bartacking Machine For Bratacking 钉商标	Buttoning Machine For Button Attaching 钉扣			
	H9V-II P-03	HX8V-II P-17	H99S P-07	HW762T P-27	H9199N-7C	HMS-13095 P-75	HBH1790E P-45	HBH1790E P-45	HT9220TC P-11	HK2900ASS P-39	ASK-A(HK2903-A) P-41			

														
运动服 Sweatsuit	Single Needle Lockstitching Machine For Stright Side Stitching 车缝	Four Thread Overlock For Jointing 锁边	Four Thread Overlock For Jointing 合缝	Cylinder Bed Interlock For Cover Stitching 压线	Cylinder Bed Interlock With Left Knife 左刀上裤腰	Make Zipper 上拉链	Cuff Making 袖口	Flat Interlock With Binder 加装拉筒包边	Double Needle Machine For Attaching 压线	Single Needle Lockstitching Machine With Edge Cutter 刀车	Multi Needle Machine For Waist Banding Multi Needle Machine Sewing Three Bars 加拉筒拉裤腰 拉三条杠	Bartacking Machine For Bratacking 套结	Stright Button Holing Machine For Button Holing 锁眼	
	H9V-II P-03	HX8V-II P-17	HX8V-II P-17	HT9220TC P-11	HW782T-35B P-33	H9120S	HX6900TA P-21	HW76V P-25	HT9220TC P-11	H99S P-07	HW800C P-37	HK2900ASS P-39	HBH1790E P-45	

										
针织童装 Knitting kidswear	Single Needle Lockstitching Machine For Stright Side Stitching 车缝	Four Thread Overlock For Jointing 锁边	Flat Interlock With Binder 加装拉筒包边	Cylinder Bed Interlock For Cover Stitching 压线	Multi Needle Machine For Waist Banding 加拉筒拉裤头	Stright Button Holing Machine For Button Holing 锁眼	Bartacking Machine For Bratacking 套结	Buttoning Machine For Button Attaching 钉扣	Cuff Making 袖口	
	H9V-II P-03	HX8V-II P-17	HW762T P-27	HW78V P-31	HW800C P-37	HBH1790E P-45	HK2900ASS P-39	ASK-A(HK2903-A) P-47	HX6900TA P-21	

														
夹克 Jacket	Single Needle Lockstitching Machine For Stright Side Stitching 车缝	Four Thread Overlock For Jointing 锁边	Four Thread Overlock For Jointing 合缝	Double Needle Machine For Attaching 压线	Chainstitch Machine For Side Seaming 压线	Make Zipper 上拉链	Binder 带拉筒	Single Needle Lockstitching With Edge Cutter Machine With Binder For Edge Cutting And Binding 刀车	Bartacking Machine For Bratacking 套结	Buttoning Machine For Button Attaching 钉扣	Eyelet Button Holing For Making Eyelet Button Holes 凤眼			
	H9V-II P-03	HX8V-II P-17	HX8V-II P-17	HT9220TC P-11	HH-380A	H9120S	HV8V-II P-17	H99S P-07	HK2900ASS P-39	ASK-A(HK2903-A) P-41	HBH1790E P-45			

							
户外服 Outdoor clothing	Single Needle Lockstitching Machine For Stright Side Stitching 车缝	Double Needle Machine For Attaching 压线	Four Thread Overlock For Jointing 锁边	Four Thread Overlock For Jointing 合缝	Bartacking Machine For Bratacking 套结	Stright Button Holing Machine For Button Holing 锁眼	Velcro Attaching 魔术贴
	H9V-II P-03	HT9220TC P-11	HX8V-II P-17	HX8V-II P-17	HK2900ASS P-39	HBH1790E P-45	HMS-1310 P-51

## 创造性研发 R&D WITH INNOVATION

富山始终以严谨的科学态度和创新精神打造每款产品，并依托高科技和人才力量不断创造技术革新高度，公司目前拥有超百项专利技术。富山坚持研发投入，与世界最新科技保持同步，做行业的先锋者。

We adhere to rigorous scientific approach for every user to create a cornerstone of high quality products; dreams and innovation lead us to stand out in a brutal competition in the market; We draw lessons in every business fairs, knowing the reasons for the results, we care for and think about all users, relying on high-tech and intelligent elites to stand world high with new technology.

## 创新-品质-速度

INNOVATION › QUALITY › SPEED

自创立以来，富山研发出多款对缝纫机行业产生重要影响的新产品，为中国缝纫机行业不再仿制国外产品做出巨大贡献。公司聘请了德国、日本等国知名行业专家，并与国内外著名缝制科研究院合作，不断深入研究，进行技术创新。相继推出以高新、环保、节能为特点的工业缝纫机共 300 多个产品品种。开发出以“H8800-7 列高速电脑自动平缝机”、“HX6800T 直驱超高速电脑包缝机”、“H9180N 高集成机电一体化电脑直驱自动平缝机”等五款创新产品。目前已取得各类授权专利超 50 项。

富山重磅推出具有历史意义的有油直驱电脑车，现已成为行业模仿对象，促进了行业技术发展。

“HX6800T 直驱超高速电脑包缝机”荣获“2012 年国家重点新产品奖”、“2014 上海轻工业优秀创新产品金奖”；“H9180N 高集成机电一体化电脑直驱自动平缝机”获“中国缝制机械协会 2011 年‘十一五’科技创新奖”，同时制定并申请认定行业标准；“高集成一体型电脑平缝机”被列入 2014 年度国家重点新产品计划，成为该年度行业唯一入选品牌。富山品牌得到了越来越多的全球客户的关注与支持。2013 年，富山推出具有创造性的新产品，标志着富山步入智能化、人性化的产品时代。目前，富山已拥有直驱超高速电脑包缝机、电脑平缝机、电脑绷缝机、电脑多针机、电脑套结、电脑钉扣机等多个行业的标杆产品。未来，中国将更深层融入全球经济，富山将立足于高端电脑包缝机，继续促进技术革新，为下游产业的发展提供助力。

HIKARI developed a number of world-class innovative products since its establishment, and it has made great contributions to end the history of the Chinese people imitating foreign products in the sewing machine industry. With experts from Germany, Japan and the cooperation with research institutes, HIKARI continuously accelerates technological innovation, research and development efforts, launching successively series of more than 300 varieties of high-tech, environmentally friendly and energy-saving products. Especially the H8800-7, high speed computerized lockstitch machines, HX6800T, computerized overlock machine and H9180N highly integrated computerized direct drive lockstitch machine are the world's first. Until now HIKARI already obtained more than 50 patents.

HIKARI introduced to the world's first origination Direct Drive Computerized oiling type, which became the classic model, greatly imitated by the others.

HX6800T super high speed overlock machines was awarded the key new products in 2012. "2014 shanghai light industrial innovation products gold award", H9180N series was awarded the technology creation products of the 11th five-year plan, sewing the new induction standards in 2011 by the China Sewing Machinery Association. At the same time, the company develop and apply the identified corporate standards, "High integrated and computerized lockstitch machines" has been listed as 2014 national important new products plan, and HIKARI was the only brand has been selected among the industry. In 2013, HIKARI developed the innovative intelligent products, representing the new era's coming. Nowadays, HIKARI already has the direct drive overlock lockstitch machine, interlock machine, multi needle machine, bar-tacker, and button sewing machine. In the future, China will join in the global economy deeper and deeper. HIKARI will adhere to: focusing on the high-end computerized sewing machines, and create all kinds of the products series, especially the applying to the using of the computerized overlock sewing machines and new technology and make contributions for development in the fashion garment industry.


## 上乘的品质 ADVANCED QUALITY

“摔机事件”敲响了富山人对品质的警钟，也让富山开始为业界所关注。严格把控零配件环节，采用与国际性品牌相同的供应链体系。公司在生产中推行精益求精的生产，致力于保证产品的稳定性和可靠性。采用先进的 SAP 管理系统，在财务、采购、销售、生产、计划以及质量管理、售后服务等环节中形成一条科学完善的管理体系。如今，在转速相同的条件下，富山部分产品噪音均低于国际各大品牌。这是富山从源头零件到成品品质严格把控的结果。品质是企业赖以生存和发展的保证，富山将专注高端电脑缝纫机，以品质为基准，为产品的研发注入更多有推动意义的技术与应用，为用户生产更多更高价值的科技产品。

The “destoryed bad machine event” sounded quality ringing bell on HIKARI staff’s minds, also let HIKARI first been attention in the industry, Strict control upstream from parts suppliers, all using the same supply chain system with world-class brands. As the implementation of lean production in the production process, effectively guarantee product quality and reliable and stability. Using SAP’s advanced management system, to form a complete management of the value chain in the finance, purchasing, sales, production, planning and quality management, after-sales service. Nowadays, some products noise under same speed even lower than the international brands. This is the results of HIKARI strict quality control from the parts to the machines. The quality of machine is the insurance of enterprise’s survival and development: HIKARI will focus on high-end computerized sewing machine, under the promise of guaranteeing quality, more and more top technology and new element apply to the R&D of new products to create significant value to create more valuable products.



## “新一代”智能缝纫机研究院 “NEW GENERATION” INTELLIGENT SEWING MACHINE INSTITUTE



富山坚持把研发当作企业发展的推手，坚持走技术创新、产品创造之路。以技术创新和市场开发为先导，以国际水准为目标，公司年研发投入占当年销售额的 5% 左右，积累了强劲的技术力。

作为富山公司创新体系的重要组成部分，“TA 系列”对企业推动产品技术发展和产品创造有重要作用，开启了富山时代。

富山先后与哈尔滨工业大学等高校合作，通过利用大专院校与科研院所的人才、技术实力，构建专属技术研发团队，完成高端缝制设备的平台搭建。

2013 年 9 月，富山技术研发中心正式升级为“下一代”缝制机研究院。研究院将秉承科学严谨、科技创新的宗旨，持续开发更先进、智能化、人性化的高端缝纫机，积极推动中国工业缝纫机的发展。

HIKARI always put the research and development as power of Enterprise’s development, adhere to the technical innovation, product creation road. The technology and market development as the guide, the international standards as our target, has been reserved strong technical accumulation, HIKARI R&D investment accounted for about 5% of sales.

As an important part of HIKARI innovation system, “TA” series is the leading products enterprise technology development and product creation has begun leading the era of HIKARI. HIKARI has the cooperation with well-known universities such as Harbin Institute of Technology, making full use of universities and research institutes in personnel and technology advantage, to build the core technology R&D team, build test platform of high-end sewing equipment.

In 2013 September, HIKARI technology R&D center officially upgraded to the “Next generation” institute of sewing machine. Institute will uphold the scientific rigor science and technology innovation purpose, continues to develop more advanced, intelligent, humane, and actively high-end sewing machine. Actively promote the development of China’s industrial sewing machine.



极具慧眼的  
富山用户

FORWARD-LOOKING  
HIKARI USERS